



TRUSTED SINCE 1926
BONIDE[®]

DEADWEED BREW

Kills all types of weeds & grasses

Ready to Use

For use on patios, walkways, driveways, flower beds, vegetable gardens, shrubs, trees, fences, foundations, other areas of your yard

ACTIVE INGREDIENTS:

Caprylic Acid 2.62%
Capric Acid 2.17%

OTHER INGREDIENTS: 95.21%

TOTAL: 100.00%

(C8/C10 Fatty Acid blend = 4.79 %)

EPA Est. No. 4-NY-1 EPA Reg. No. 67702-59-4

Keep Out Of Reach Of Children

CAUTION (See back panel for additional
Precautionary Statements and First Aid)



vegetable gardens

Kills weeds, grass, algae & moss



**FOR ORGANIC
GARDENING**



DEADWEED BREW

Ready to Use

- ✓ Fast-acting, non-selective broadleaf weed, grass, algae and moss killer
- ✓ Rainfast in three hours
- ✓ For use on, in and around patios, walkways, driveways, flowerbeds, vegetable gardens, shrubs, trees, fences, foundations and other areas of your yard
- ✓ For organic gardening

Sold under a license of W. Neudorff GmbH KG, Germany.
Store and transport in an upright position.
EPA Reg. No. 67702-59-4 EPA Est. No. 4-NY-1
Buyers Guarantee Limited to Label Claims.
©Bonide Products, LLC All Rights Reserved.
Distributed by: Bonide Products, LLC.
6301 Sutliff Road, Oriskany, NY 13424



BN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Directions

Shake well before using. Do not dilute. Thorough coverage is extremely important. Spray individual weeds to the point of runoff, including the center/stem of the plant. Plant damage will be visible from a few hours to 2 days after spraying. Repeat treatment every 2 to 3 weeks to control new weeds growing from seed and re-growth from biennial and perennial weeds. Avoid spraying desirable plants.

This product can be used any time during the year and works best during warm and dry conditions. Application during cold weather may delay appearance of plant damage. If rain falls within three hours of application an additional application may be required.



CONTROLS

Broadleaf weeds, grass, algae and moss.

USE SITES

Use within vegetable and flower gardens, landscaped areas, and in the vicinity of small fruits, vines and fruit trees.

Use around and on buildings, sidewalks, fences, bark mulch, driveways, patios and gravel.

TRIGGER SPRAYER DIRECTIONS

1. Shake well.
2. Spray the weeds only.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unused material, tightly closed, in original container only, away from open flame. Do not store at temperatures below 39°F.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (833) 972-1101 for emergency medical treatment information.



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

