PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Wash thoroughly and put on clean clothing.

FIRST AID

If Inhaled

- · Move person to fresh air.
- · If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

If In Eves

- Hold eve open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

If On Skin or Clothina

- Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

ENVIRONMENTAL HAZARDS: Do not apply to treated, finished drinking water reservoirs or drinking water receptacles.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a cool dry place. IF EMPTY: Do not reuse container. Place in trash and offer for recycling if available. IF PARTIALLY FILLED: Call your local solid waste agency or 1-800-858-7378 (National Pesticide Information Center) for disposal instructions. Never place unused products down any indoor or outdoor drains.

NOTICE TO USER: Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.

In case of an emergency endangering life or property involving this product, call collect, day or night, (800) 858-7378 (National Pesticide Information Center)



BIOLOGICAL MOSQUITO CONTROL CONCENTRATED FORMULA

For **LARGE** WATER GARDENS • FOUNTAINS BIRDBATHS and other areas where standing water accumulates up to 7,500 gallons

Biological LARVICIDE Aqueous Suspension

Kills developing mosquitoes before they become breeding, biting adults including those which may transmit WEST NILE VIRUS and EQUINE ENCEPHALITIS and HEARTWORM DISEASE to dogs and cats.



ACTIVE INGREDIENT:

Bacillus thuringiensis subspecies israelensis, solids, spores and insecticidal toxins*..... OTHER INGREDIENTS

*Equivalent to 1.200 International Toxic Units (ITU/mg) (4.84 Billion ITU/gallon or 1.2 Billion ITU/liter). Potency units should not be used to adjust rates beyond those specified in the Directions for Use Section. Note: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN

CAUTION See side panel for additional precautionary statements and directions for use.

NET: 12 FL. 0Z./354mL

EASY TO USE: Use in containerized water where mosquitoes may breed. A microbial insecticide effective against mosquitoes in a variety of habitats. Effective year-round when mosquito larvae are present.

DIRECTIONS FOR USE

One bottle treats

2,500-gallons

every other

week for up to

YEARS

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: Apply MICROBE-LIFT/BMC to containerized standing water.

MICROBE-LIFT/BMC can be applied to areas that contain aquatic life, fish and plants. MICROBE-LIFT/BMC can be applied to areas used by or in contact with humans, animals, horses, livestock, pets, birds or wildlife.

FOR USE IN:

- Water gardens/ features
- Birdbaths
- Fountains Old tires
- Statuary

 Drains Rain barrels

Plant Trays

Buckets

Planters

- Abandoned Swimming Pools Roof autters
 - Stock Tanks

Pool Covers

 Other areas where standing water accumulates

HOW TO APPLY: FOR LARGE WATER GARDENS up to 7.500 GALLONS

Treats: 3.500 Gallons every other week for up to 18 months 5,000 Gallons every other week for up to 13 months CUP ENCLOSED 7,500 Gallons every other week for up to 8 months



Use MICROBE-LIFT/BMC to prevent mosquitoes from breeding in listed treatment areas and other areas where standing water accumulates.

Use dosage cup provided. Add MICROBE-LIFT/BMC directly to the water to be treated. Use 2.5ml per 1,000 gallons of water (5ml per 2,000 gallons of water) every other week. Treat weekly if necessary.

Distributed by:





Freeport, New York 11520 • Visit our Web Site: www.microbelift.com

EPA Reg. No. 62637-1-74466 EPA Establishment No. 74466-FL-001